

```

EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFFFFFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEE RRR RRR FFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFF
EEEEEEEEEEEEEEEEEE RRRRRRRRRRRR FFFF

```

[illegible]

VV	VV	AAAAAA	XX	XX	77777777	55555555	000000	RRRRRRRR	EEEEEEEEEE	GGGGGGGG	
VV	VV	AAAAAA	XX	XX	77777777	55555555	000000	RRRRRRRR	EEEEEEEEEE	GGGGGGGG	
VV	VV	AA	AA	XX	77	55	00	RR	EE	GG	
VV	VV	AA	AA	XX	77	55	00	RR	EE	GG	
VV	VV	AA	AA	XX	77	555555	00	RR	EE	GG	
VV	VV	AA	AA	XX	77	555555	00	RR	EE	GG	
VV	VV	AA	AA	XX	77	55	00	RRRRRRRR	EEEEEEEEEE	GG	
VV	VV	AA	AA	XX	77	55	00	RRRRRRRR	EEEEEEEEEE	GG	
VV	VV	AAAAAAAA	XX	XX	77	55	0000	RR	EE	GG	GGGGGG
VV	VV	AAAAAAAA	XX	XX	77	55	0000	RR	EE	GG	GGGGGG
VV	VV	AA	AA	XX	77	55	00	RR	EE	GG	GG
VV	VV	AA	AA	XX	77	55	00	RR	EE	GG	GG
VV	VV	AA	AA	XX	77	555555	000000	RR	EEEEEEEEEE	GGGGGG	GGGGGG
VV	VV	AA	AA	XX	77	555555	000000	RR	EEEEEEEEEE	GGGGGG	GGGGGG

```

LL               IIIIII               SSSSSSSS
LL               IIIIII               SSSSSSSS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LL               II                   SSSSSS
LL               II                   SSSSSS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LL               II                   SS
LLLLLLLLLLLLLL  IIIIII               SSSSSSSS
LLLLLLLLLLLLLL  IIIIII               SSSSSSSS

```

[illegible]

M 1
16-Sep-1984 00:30:14
5-Sep-1984 14:25:27

VAX-11 FORTRAN V3.4-56
DISK\$VMSMASTER:[ERF.SRC]VAX750REG.FOR;1

Page 1

```
0001      SUBROUTINE VAX750REG (LUN,REGISTER)
0002      C
0003      C Version:      'V04-000'
0004      C
0005      C*****
0006      C*
0007      C*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0008      C*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0009      C*  ALL RIGHTS RESERVED.
0010      C*
0011      C*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0012      C*  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0013      C*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0014      C*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0015      C*  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0016      C*  TRANSFERRED.
0017      C*
0018      C*  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0019      C*  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0020      C*  CORPORATION.
0021      C*
0022      C*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0023      C*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0024      C*
0025      C*
0026      C*****
0027      C
0028      C
0029      C
0030      C      AUTHOR  BRIAN PORTER      CREATION DATE  16-AUG-1979
0031      C
0032      C      Functional description:
0033      C
0034      C      This module displays the Kernel cluster registers that appear
0035      C      in various error log entries for the 11/750.
0036      C
0037      C      Modified by:
0038      C
0039      C      V03-002 SAR0161      Sharon A. Reynolds,      13-Oct-1983
0040      C      Added an SYE update that fixes carriage control.
0041      C
0042      C      v03-001 BP0001      Brian Porter,      20-AUG-1982
0043      C      Added ci750 support.
0044      C**
0045
0046
0047      include 'src$:modes.for /nolist'
0048
0086      BYTE      LUN
0087
0088      INTEGER*4  REGISTER
0089
0090      integer*4  lib$extzv
0091
0092      INTEGER*4  COMPRESSC
0093
0094
```

```
0095      character*18      v1mcesr(0:0,0:1)
0096
0097      character*27      v2mcesr(1:3)
0098
0099      character*17      v1caer(0:3)
0100
0101      CHARACTER*21      V1CMIER(0:3)
0102
0103      CHARACTER*7       V2CMIER(4:4)
0104
0105      character*17      v3cmier(8:11)
0106
0107      CHARACTER*18      V4CMIER(12:12)
0108
0109      CHARACTER*9       V5CMIER(18:19,0:1)
0110
0111      CHARACTER*12      V6CMIER(20:20)
0112
0113
0114
0115
0116
0117      data      v1mcesr(0,0)      /'OPERAND REFERENCE*'/
0118
0119      data      v1mcesr(0,1)      /'XB REFERENCE*'/
0120
0121
0122
0123
0124
0125
0126      data      v2mcesr(1)        /'UNALIGNED UNIBUS REFERENCE*'/
0127
0128      data      v2mcesr(2)        /'TB PARITY ERROR*'/
0129
0130      data      v2mcesr(3)        /'BUS ERROR*'/
0131
0132
0133
0134
0135      data      v1caer(0)         /'CACHE HIT*'/
0136
0137      data      v1caer(1)         /'2ND ERROR*'/
0138
0139      data      v1caer(2)         /'DATA PARITY ERROR*'/
0140
0141      data      v1caer(3)         /'TAG PARITY ERROR*'/
0142
0143
0144
0145
0146      DATA      V1CMIER(0)       /'CORRECTED READ DATA*'/
0147
0148      DATA      V1CMIER(1)       /'LOST ERROR*'/
0149
0150      DATA      V1CMIER(2)       /'READ DATA SUBSTITUTE*'/
0151
```

```
0152
0153      DATA      V1CMIER(3)      /'MEMORY ERROR*'/
0154
0155
0156
0157      DATA      V2CMIER(4)      /'TB HIT*'/
0158
0159
0160
0161
0162      data      v3cmier(8)      /'TB G0 DATA ERROR*'/
0163
0164      data      v3cmier(9)      /'TB G1 DATA ERROR*'/
0165
0166      data      v3cmier(10)     /'TB G0 TAG ERROR*'/
0167
0168      data      v3cmier(11)     /'TB G1 TAG ERROR*'/
0169
0170
0171
0172
0173      data      v4cmier(12)     /'READ LOCK TIMEOUT*'/
0174
0175
0176
0177
0178      data      v5cmier(18,0)   /'VIRTUAL*'/
0179
0180      data      v5cmier(18,1)   /'PHYSICAL*'/
0181
0182      data      v5cmier(19,0)   /'MODIFY*'/
0183
0184      data      v5cmier(19,1)   /'READ*'/
0185
0186
0187
0188
0189
0190      DATA      V6CMIER(20)    /'CMI DISABLE*'/
0191
0192
0193
0194
0195      character*19  v1cnfgr(8:10)
0196
0197      data          v1cnfgr(8)   /'POWER-FAIL DISABLE*'/
0198
0199      data          v1cnfgr(9)   /'TRANSMIT DC LO*'/
0200
0201      data          v1cnfgr(10)  /'TRANSMIT AC LO*'/
0202
0203      character*34  v2cnfgr(12:17)
0204
0205      data          v2cnfgr(12)  /'NO ''CIPA''*'/
0206
0207      data          v2cnfgr(13)  /''CIPA'' TIME-OUT*'/
0208
```

034
034
034
034
034
034
035
035
035
035
035
035
035
035
035
036
036
036
036
036
036
036
036
037
037
037
037
037
037
037
037
037
037
038
038
038
038
038
038
038
038
038
039
039
039
039
039
039
039
039
039

```

0266 write(lun,25) 'DIAGNOSTIC MODE'
0267 format(' ',t40,a)
0268 endif
0269
0270 RETURN
0271
0272
0273
0274
0275 ENTRY COMET_MCESR (LUN,REGISTER)
0276
0277
0278
0279 CALL LINCHK (LUN,1)
0280
0281 WRITE(LUN,30) REGISTER
0282 30 FORMAT(' ',T8,'MCESR',T24,Z8.8)
0283
0284 call output (lun,register,v1mcesr,0,0,0,'2')
0285
0286 call output (lun,register,v2mcesr,1,1,3,'0')
0287
0288 RETURN
0289
0290
0291
0292
0293 ENTRY COMET_CAER (LUN,REGISTER)
0294
0295
0296
0297 CALL LINCHK (LUN,1)
0298
0299 WRITE(LUN,35) REGISTER
0300 35 FORMAT(' ',T8,'CAER',T24,Z8.8)
0301
0302 CALL OUTPUT (LUN,REGISTER,V1CAER,0,0,3,'0')
0303
0304 RETURN
0305
0306 C
0307 C THE CMIER REGISTER IS USED BY SEVERAL MODULES.THE
0308 C MICRO-CODE WITHIN COMET SPLITS THE REGISTER INTO
0309 C INDIVIDUAL 4 BIT SLICES AND PUSHES THAT RIGHT
0310 C JUSTIFIED ONTO THE STACK WHEN A MACHINE CHECK
0311 C OCCURS. ANY MODULE CALLING CMIER_XXX MUST
0312 C PRESENT THE BITS IN THEIR CORRECT POSITION.
0313 C ALSO THE MODULE MUST HANDLE THE UNUSED BITS
0314 C WITHIN THE BIT SLICE ITSELF.
0315 C
0316
0317
0318
0319 ENTRY CMIER_30 (LUN,REGISTER)
0320
0321
0322

```

```
0323 CALL OUTPUT (LUN,REGISTER,V1CMIER,0,0,3,'0')
0324
0325 RETURN
0326
0327
0328
0329 ENTRY CMIER_74 (LUN,REGISTER)
0330
0331
0332
0333 call output (lun,register,v2cmier,4,4,4,'0')
0334
0335 RETURN
0336
0337
0338
0339 ENTRY CMIER_118 (LUN,REGISTER)
0340
0341
0342
0343 call output (lun,register,v3cmier,8,8,11,'0')
0344
0345 RETURN
0346
0347
0348
0349 ENTRY CMIER_1512 (LUN,REGISTER)
0350
0351
0352
0353 CALL OUTPUT (LUN,REGISTER,V4CMIER,12,12,12,'0')
0354
0355 RETURN
0356
0357
0358
0359 ENTRY CMIER_1916 (LUN,REGISTER)
0360
0361
0362
0363
0364 CALL LINCHK (LUN,1)
0365
0366 75 WRITE(LUN,75) modes(lib$extzv(16,2,register))
0367 FORMAT(' ',T40,'CPU MODE = ',
0368 1 A<COMPRESSC (modes(lib$extzv(16,2,register))))>>
0369
0370 call output (lun,register,v5cmier,18,18,19,'2')
0371
0372 RETURN
0373
0374
0375
0376
0377 ENTRY CMIER_2320 (LUN,REGISTER)
0378
0379
```

```
0380
0381      if (iand(register,'00100000'x) .ne. 0) then
0382
0383      call linchk (lun,1)
0384
0385      80      write(lun,80) 'DIAGNOSTIC MODE'
0386      format(' ',t40,a)
0387      endif
0388
0389      RETURN
0390
0391
0392
0393      entry ci750_cnfr (lun,register)
0394
0395
0396
0397      call linchk (lun,1)
0398
0399      85      write(lun,85) register
0400      format('/',t8,'CNFGR',t24,z8.8)
0401
0402      call linchk (lun,1)
0403
0404      if (lib$extzv(0,8,register) .ne. '38'x) then
0405
0406      90      write(lun,90) 'ADAPTER NOT CI750'
0407      format(' ',t40,a)
0408      else
0409
0410      write(lun,90) 'ADAPTER IS CI750'
0411
0412      call output (lun,register,v1cnfr,8,8,10,'0')
0413
0414      call output (lun,register,v2cnfr,12,12,17,'0')
0415
0416      call output (lun,register,v3cnfr,19,19,20,'0')
0417
0418      call output (lun,register,v4cnfr,22,22,23,'0')
0419      endif
0420
0421      return
0422
0423      end
```

PROGRAM SECTIONS

Name	Bytes	Attributes
0 \$CODE	1079	PIC CON REL LCL SHR EXE RD NOWRT LONG
1 \$PDATA	258	PIC CON REL LCL SHR NOEXE RD NOWRT LONG
2 \$LOCAL	1672	PIC CON REL LCL NOSHR NOEXE RD WRT LONG
3 MODE	55	PIC OVR REL GBL SHR NOEXE RD WRT LONG
Total Space Allocated	3064	

ENTRY POINTS

Address	Type	Name	Address	Type	Name	Address	Type	Name	Address	Type	Name
0-00000306		C1750_CNFG	0-00000200		CMIER_118	0-00000223		CMIER_1512	0-00000246		CMIER_1916
0-000002BC		CMIER_2320	0-000001BA		CMIER_30	0-000001DD		CMIER_74	0-00000086		COMET_CADR
0-00000166		COMET_CAER	0-000000FD		COMET_MCESR	0-0000000F		COMET_TBDR	0-00000000		VAX750REG

VARIABLES

Address	Type	Name	Address	Type	Name
AP-00000004a	L*1	LUN	2-00000300a	I*4	REGISTER

ARRAYS

Address	Type	Name	Bytes	Dimensions
3-00000000	CHAR	MODES	55	(0:4)
2-00000075	CHAR	V1CAER	68	(0:3)
2-000000B9	CHAR	V1CMIER	84	(0:3)
2-0000019A	CHAR	V1CNFG	57	(8:10)
2-00000000	CHAR	V1MCESR	36	(0:0, 0:1)
2-0000010D	CHAR	V2CMIER	7	(4:4)
2-000001D3	CHAR	V2CNFG	204	(12:17)
2-00000024	CHAR	V2MCESR	81	(3)
2-00000114	CHAR	V3CMIER	68	(8:11)
2-0000029F	CHAR	V3CNFG	58	(19:20)
2-00000158	CHAR	V4CMIER	18	(12:12)
2-000002D9	CHAR	V4CNFG	38	(22:23)
2-0000016A	CHAR	V5CMIER	36	(18:19, 0:1)
2-0000018E	CHAR	V6CMIER	12	(20:20)

LABELS

Address	Label	Address	Label	Address	Label	Address	Label	Address	Label	Address	Label
1-00000074	10'	1-00000086	15'	1-0000008D	20'	1-0000009E	25'	1-000000A5	30'	1-000000B7	35'
1-000000C8	75'	1-000000E1	80'	1-000000E8	85'	1-000000FB	90'				

9

```
Run Time:          3.78 seconds
Elapsed Time:      11.36 seconds
Page Faults:       164
Dynamic Memory:    187 pages
```

[illegible]

